Articles	*Probable quantity required for the year*
Naphermani per lb. tin	... 20 tins.
Blue do	... 15 ,,
Nandi wood, per cubic foot	... 500 c. ft.

Note.—Any other articles required for manufactures or other purposes in the Jail shall be supplied by the contractor at market rates, should the Superintendent require him to do so.

MAHOMED USMAN,
Superintendent.

KADUR DISTRICT.

Notification dated 8th September 1916.

It is hereby notified that a sum of Rs. 5-10-4, due to one Sheik Baba Sabi of Udipi, South Canara for having repaired certain vessels of the Narasimharajapura travellers' bungalow in January 1915 is lying unclaimed in the office of the Deputy Amildar, Narasimharajapura Sub-Taluk and that unless the amount is claimed within three months of the publication of the notice the same will be credited to Government.

T. ABDUL KHADIR,
For *Offg. Deputy Commissioner.*

Notice.

Tenders are invited for the supply of lubricating oils, etc., required in the Mysore Government Electrical Department, Bangalore, from October 1916 to end of June 1917.

These should be submitted so as to reach the undersigned not later than 12 noon on the 30th September 1916 on printed forms to be obtained on application with full particulars.

S. G. FORBES,
Chief Electrical Engineer to the Government of Mysore.

WATER SUPPLY DIVISION.

Abstract Notification.

The attention of the public is invited to the Notification dated 30th August 1916, calling for tenders for the supply of Charcoal for Davangere Water Works up to 12 noon of 15th October 1916, published on pages 661 and 662, Part IV of the *Mysore Gazette*, dated 7th September 1916.

M. K. NARASIMHA IYER,
For *Executive Engineer.*

KOLAR DIVISION.

Dated 4th September 1916.

Notice is hereby given that sealed tenders will be received at the office of the Executive Engineer, Kolar Division, up to 25th September 1916, for restoring the Hosur, Kannikere Tank, Registered No. 36 of Goribidnur Taluk. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of December 1917.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's Office at Kolar between the hours of 11 A.M. to 5 P.M.

3. Tenders should be submitted on printed forms which may be obtained from the Executive Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of rupees five hundred in cash or Government Promissory Notes, as earnest money, and be superscribed "Tender for restoring the Hosur, Kannikere Tank, Registered No. 36 of Goribidnur Taluk," in default of which, tenders will be rejected.